

# Access control that easily integrates into the modern world

TruPortal<sup>™</sup> 1.5 delivers user-friendly operation while expanding features and functionality to meet more application needs






# **TruPortal 1.5**

Effective, intuitive access control for today and tomorrow

Well-suited for small to mid-sized applications, TruPortal<sup>™</sup> 1.5 represents the ideal solution for out-of-the-box access control that delivers full-featured options while being simple to install and operate without special training.

This next-generation TruPortal System is also built for modern demands and applications, complete with iPad®, iPhone® and Android smartphone "App" for remote-based management, 64-door/camera capability, simplified wizard-based installation, action triggers and more. TruPortal 1.5 is the flexible, reliable access control solution for today's applications.

Plus, TruPortal's browser-based functionality requires no server or software to install and it easily integrates with TruVision<sup>®</sup> surveillance recorders and cameras for complete video capabilities.



# Rich features when and where you need them most

TruPortal 1.5 combines all the features of the previous version with convenient new functionality including a native iPad app to remotely monitor system activity and perform basic administrative tasks. iPhone or Android users can perform the most common command and control functions including video, reports and door commands direct from their phones.


## iPhone App

#### **Android App**



# 

	· prisPortal	Street,
Web-browser-based operation	0.64%	Action Triggers. Here
	C Marting	& Panic
Access to wizards, tool tips, quick start guide and context-sensitive help for everyday tasks	E facts E sale-in-state D total-Intra 2 Genter Serie E faces	💰 Tamper Horitoring and Natification
Works with most browsers: Internet Explorer, Chrome, Safari, Firefox	A service service is the activity of fermion theorem is the Activity in Spectrum Res is a service service in Spectrum Res	
Multi-language*	With one of the set	
Graphical diagnostic dashboard	for our control concernent control concernent for control of the c	
Intuitive report generation		



\* English, Spanish, French, Portuguese, Dutch, Finnish, Italian, Turkish, Swedish and German

# TruPortal / Access Control

## Diagnostics

Reports

(i) Hane	Format								
0 ****	at the set	10.		4Cfmmail	1.10	20	Read Server	in tax	
E Rois	ments between	10.10		has					
STANSIAN	Nuclearer								
IN TRAC	Service.	-	SS Shee	them	Date Ca		inv	24	
Li Wecksmith of Adult Tapers	Spekare .	86							
S AND PRESS Room	Reportation								
Alexand	1074	82520	102108-00-	OCUM NO.	(area)	Lat.	Aver Lage		Loso4
C found Brightent	the longer	1	-	Adam.		and along 1			
Il hoors Il binen kennister	Davies Capacitie								
	the famile	100.0	Note School.	Ter.		1,100	2.6		101
	And Persons	P 21+4	analy 18%	Postate		100	ires .	10	1100
ania barts	Department	-	1.04	1 mail	1	4116	65/8	10	1116
NAME & CARLONA POLICE	Rysless Capacity								
	diam'r		EVEN.	Talaina		14500	himida and an		1494
Der Light -	Ineties	1	1.756	sen baar		144	1081		1/24
11 m do an		T	1414	MICTURE	100	1478	TAXED FOR		110
The LOT	CONTRACTOR .	1	1.24	Dei forme		1.00	Anici Spai.		2.04
urrin ek	Broke.		1000	Tolan		141	Anter Pages	C	1410
	Scheduled Back								
7.000 0.00 10 00 10 00	841		ad tence per		24		idebed terkini		0

#### Device tree

Action Triggers

(8 Marie)	A second process of the second s		
0 kons C harlans E konstkrigeret E hanni	* ET TruPertal	Main Ent	rance
It kon the gate	- Be Controler (12)	1 Jerritely	
C Subar Second A Sprace Area	Boor Controller 21447	Door	
d Alter Taler	Boor Controller 8888     Door f Rester Controller	And the same free	International Transition
(Chronian doctor Character Setting	* 🗃 IP Door Controller 1059557	(It fearers (+)	And Service
ni, Gan Burram () Birgunge Mela	- Hain Entrance	(annumbles (+)	(dense 1 - m. (+)
unin barts. Note: 1 Del Dru Hote	Main Entrace Entry Reader	(hurban bu +) Shure Tricther	E o au scher zum im 45
terine content of	* 🔛 Video Devices	they had and	
antar an Alterdation	v allen TVHS0 Tvelle	R and finish that	
NUT IN HA	Camera 1 - Main Entrance Camera	All respected (A)	
	Camera 2 - Side Entrance	the second se	

## 

# Designed for easy access to essential information

Featuring comprehensive tool tips, context-sensitive help and graphical diagnostics, TruPortal<sup>™</sup> 1.5 features an intuitive user interface that makes operations even easier.

Clean, icon-based screens

User wizards with step-by-step instructions

Rich functionality for simple search, reports and schedules

Video integration with TruVision surveillance recorders

Hardware discovery function during initial and subsequent hardware installations makes set-up quick and easy.

# truVision

# Low total cost of ownership

Not only does TruPortal 1.5 set a new standard in high-performance access control functionality, but it also helps reduce costs for an even more attractive solution offering.



No dedicated server greatly reduces up-front cost

Eliminates need for software installation and licensing

No application, operating system or database maintenance required

New IP PoE single door controller leverages existing IP infrastructure

FREE upgrades—no annual software licensing fees



# Seamless integration for complete coverage

TruPortal 1.5 is designed to be part of a multi-faceted security system, working effectively with additional components. This new version provides simple and intuitive video integration with access events, along with scheduled and manual data backup capabilities. User-definable fields

Remote door control

Scheduling with recurring holidays

Reader groups and schedules

**Enforced anti-passback** 

Flexible Wiegand reader choices to accommodate 3rd-party integration; including Assa Abloy and Schlage wireless locks

Powerful action triggers for If/Then functionality

# The ideal solution to meet growing needs

As requirements expand, TruPortal<sup>™</sup> 1.5 easily accommodates future growth. Starting with the main system controller for up to 2 doors/4 readers, users can increase their coverage in increments of 1 door/2 readers using the newly released single-door IP-based controller. PoE IP-based capabilities mean no cable running required—TruPortal 1.5 plugs into existing infrastructure to be up and running quickly.



# TruPortal 1.5 offers automation features for added convenience and security:

Database backup at regularly scheduled intervals

- Action triggers that generate emails in response
- to critical events

# System dimensions

Doors	64
Cardholders	10,000
Credentials	10,000
Credentials per cardholder	5
Access levels	64
Access levels per credential	8
Schedules	64
Holidays	255
Aux outputs	64+2
Aux inputs	128+4
Retained events in event log	65,000
DVRs	4
Cameras	64
Bits per credential / bits per credential ID	200 / 128
Active badge formats	8
Connected UI clients	5
Action triggers (max actions per trigger)	32/10
Email distribution lists	10

## ACCESS CONTROL

- ► Anti-Passback
- ► Reader Groups
- ► I/O Monitor and Control
- Global Door Lock/Unlock
- ► Door Fallback Mode
- Holidays

### REPORTS

- ► HTML View/Print
- ► CSV Export User Diagnostics
- Power and Hardware Status
- Resource Usage
- System and Device Capacities

#### USABILITY

- Enhanced Event and Person Search
- Record Copy
- Context-Sensitive Help
- ► User Wizards
- Mobile Applications:\* iPhone<sup>®</sup> /Android

#### SECURITY

- HTTPS Communications
- SSL Certificate Import
- Operator Roles
- Configurable TCP/IP Ports\*

#### **VIDEO INTEGRATION**

- View Live/Recorded
- Playback Events Linked to Devices
- Save Video Clips

#### OTHER

- ► User-Defined Person Fields
- ► NTP Time Sync
- Scheduled Backup\*
- Action Triggers\*
- Email Notifications\*

\* New to TruPortal 1.5

# Ordering Information

Base Systems		
TP-SYS-2DE	TruPortal <sup>™</sup> 2-Door Base System. Consists of a TruPortal System Controller installed in UL-listed enclosure w/integrated power supply/standby battery charger.	
TP-SYS-BRD	TruPortal System Controller. For spare parts only.	
Add-Ons		
TP-ADD-2DE	TruPortal 2-Door Add-on Kit. Consists of a TruPortal 2-Door Interface Module installed in UL-listed enclosure w/4 AMP power supply.	
TP-ADD-2D-BRD	TruPortal 2-Door Interface Module. Board only. For installation into an existing TP-ADD-2D, TP-ADD-2D2R or TP-ADD-4D.	
TP-ADD-IO	TruPortal I/O Expansion Add-on Kit. Consists of a TruPortal 16 input, 8 output I/O Expansion Module installed in a UL-listed enclosure w/4 AMP power supply.	
TP-ADD-IO-BRD	TruPortal I/O Expansion Module. Board(s) only. 16 inputs and 8 relay output (consists of 2 separate but interconnected boards). For spare parts or for installation into an existing TP-SYS-2D.	
TP-ADD-1DIP Intern	TruPortal IP-Based Single-Door Add-on kit. Consists of TruPortal 1-door interface module installed in a UL-listed enclosure.	
TP-ADD-1DIP-BRD IITAW	TruPortal IP-Based Single Door Module. Board only.	
Readers		
TP-RDR-100A	TruPortal T-100 Series Reader (mini-mullion mount, Proxlite/HID,® 3 covers, 18"/45.7cm pigtail wire, Wiegand output)	
TP-RDR-100B	TruPortal T-100 Series Reader (mini-mullion mount, Proxlite/HID,® 3 covers, 84"/214cm pigtail wire, Wiegand output)	
TP-RDR-200A	TruPortal T-200 Series Reader (mini-mullion mount, Vicinity (ISO 15693)/Proximity (ISO14443), 3 covers, 18"/45.7cm pigtail wire, Wiegand output)	
TP-RDR-200B	TruPortal T-200 Series Reader (mini-mullion mount, Vicinity (ISO 15693)/Proximity (ISO14443), 3 covers, 84*/214cm pigtail wire, Wiegand output)	
Note: Backup battery must b	e purchased separately. *TruPortal supports Wiegand only input.	
Accessories		
TP-RDR-LRN		
	Dual-Frequency Enrollment Reader. Connects to PC via USB interface	
	Dual-Frequency Enrollment Reader. Connects to PC via USB interface	
Credentials	Dual-Frequency Enrollment Reader. Connects to PC via USB interface         TruPortal Credential - HID® Prox ISO Cards - 25 Pack	
Credentials TP-CP-ISO-25PK		
Credentials TP-CP-ISO-25PK TP-MFC-ISO-25PK	TruPortal Credential - HID® Prox ISO Cards - 25 Pack	
Credentials TP-CP-ISO-25PK TP-MFC-ISO-25PK TP-MFC-KF-BK-25PK	TruPortal Credential - HID® Prox ISO Cards - 25 Pack TruPortal Credential - Mifare® Classic ISO Cards no Magstripe Gloss/Gloss - 25 Pack	
Credentials TP-CP-ISO-25PK TP-MFC-ISO-25PK TP-MFC-KF-BK-25PK TP-MFC-KF-OG-25PK	TruPortal Credential - HID® Prox ISO Cards - 25 Pack         TruPortal Credential - Mifare® Classic ISO Cards no Magstripe Gloss/Gloss - 25 Pack         TruPortal Credential - Mifare® Classic Keyfobs Piano Black - 25 Pack	
	TruPortal Credential - HID® Prox ISO Cards - 25 Pack         TruPortal Credential - Mifare® Classic ISO Cards no Magstripe Gloss/Gloss - 25 Pack         TruPortal Credential - Mifare® Classic Keyfobs Piano Black - 25 Pack         TruPortal Credential - Mifare® Classic Keyfobs Piano TruPortal Orange - 25 Pack	
Credentials TP-CP-ISO-25PK TP-MFC-ISO-25PK TP-MFC-KF-BK-25PK TP-MFC-KF-OG-25PK TP-MFC-KF-LG-25PK	TruPortal Credential - HID® Prox ISO Cards - 25 Pack TruPortal Credential - Mifare® Classic ISO Cards no Magstripe Gloss/Gloss - 25 Pack TruPortal Credential - Mifare® Classic Keyfobs Piano Black - 25 Pack TruPortal Credential - Mifare® Classic Keyfobs Piano TruPortal Orange - 25 Pack TruPortal Credential - Mifare® Classic Keyfobs Epoxy Slender - TruPortal Orange - 25 Pack	



Monitor and control access from anywhere!

Download our mobile app at interlogix.com/truportal



www.utcfssecurityproducts.eu



© 2013 United Technologies Corporation. All rights reserved. Ref. 1209 EN

